

Infrastructure - Bug #1141

unicode guid handling in mn.create()

2010-12-03 21:11 - Rob Nahf

Status:	Closed	Start date:	2010-12-03
Priority:	Urgent	Due date:	
Assignee:		% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:		Story Points:	
Milestone:	None		
Product Version:			
Description at least 4 distinct bugs from integration tests against mn.create(): offending characters: ";" ";" "/" unicode, non-ascii characters 1-byte, 2-byte unicode, supplementary characters the last one give an error message, whereas the first 3 do not. The error message: "Error creating MMP stream in MNode.handleCreateOrUpdate: Could not serialize the system metadata to multipart: Illegal character code 0xd800 in content text" run D1ClientTest.java to reproduce results.			
Subtasks: Task # 1142: address MMP errors for supplementary unicode characters in pids Task # 1143: address semi-colon issue Task # 1162: override getPathInfo to replace censored characters			
Related issues: Related to Java Client - Bug #2620: jibx support for unicode supplemental BMP...			
		Closed	2012-04-20

History

#1 - 2010-12-03 21:27 - Rob Nahf

- Priority changed from Normal to Urgent

#2 - 2010-12-03 21:34 - Rob Nahf

the "/" issue tracks with the "\" issue. The unicode errors (non-ascii, non-supplementary characters) are probably distinct.

#3 - 2010-12-13 18:33 - Dave Vieglais

- Position deleted (10)
- Position set to 1
- Target version changed from Sprint-2010.49 to Sprint-2010.50

#4 - 2010-12-13 18:35 - Dave Vieglais

- Position deleted (1)
- Position set to 20

#5 - 2010-12-13 18:55 - Rob Nahf

- Position deleted (18)
- Position set to 7

#6 - 2011-01-03 02:06 - Dave Vieglais

- Target version changed from Sprint-2010.50 to Sprint-2011.01

#7 - 2011-01-10 18:25 - Dave Vieglais

- Position set to 1
- Position deleted (9)
- Target version deleted (Sprint-2011.01)

#8 - 2011-03-28 14:55 - Dave Vieglais

- Position set to 2
- Position deleted (82)
- Target version set to Sprint-2011.13-Block.2

#9 - 2011-04-05 01:42 - Dave Vieglais

- Target version changed from Sprint-2011.13-Block.2 to Sprint-2011.14-Block.2
- Position set to 3
- Position deleted (7)

#10 - 2011-04-13 04:14 - Dave Vieglais

- Position set to 8
- Target version changed from Sprint-2011.14-Block.2 to Sprint-2011.15-Block.2
- Position deleted (26)

#11 - 2011-04-25 15:53 - Dave Vieglais

- Target version changed from Sprint-2011.15-Block.2 to Sprint-2011.18-Block.3
- Position deleted (23)
- Position set to 1

#12 - 2011-05-16 17:58 - Dave Vieglais

- Target version changed from Sprint-2011.18-Block.3 to Sprint-2011.20-Block.3

#13 - 2011-05-23 17:44 - Robert Waltz

- Target version deleted (Sprint-2011.20-Block.3)
- Position set to 124
- Position deleted (25)

#14 - 2011-08-30 01:58 - Dave Vieglais

- Position deleted (163)
- Position set to 34

#15 - 2012-01-06 04:07 - Dave Vieglais

- Position set to 1
- Position deleted (125)

#16 - 2012-02-08 20:23 - Dave Vieglais

- Target version set to Sprint-2012.05-Block.1.3
- Position deleted (63)
- Position set to 1

#17 - 2012-02-13 18:06 - Dave Vieglais

- *Target version deleted (Sprint-2012.05-Block.1.3)*
- *Position set to 1*
- *Position deleted (5)*

#18 - 2017-03-28 17:59 - Dave Vieglais

- *Milestone set to None*
- *% Done changed from 0 to 100*
- *Status changed from New to Closed*