

Infrastructure - Task #1181

Story # 1132 (Closed): Support for Use Case 09 - Replicate MN to MN

Implement replicate() in metacat

2011-01-03 20:10 - Dave Vieglaiss

Status:	Closed	Start date:	2011-01-03
Priority:	Normal	Due date:	
Assignee:	Chris Jones	% Done:	100%
Category:	Metacat	Estimated time:	0.00 hour
Target version:	Sprint-2011.28-Block.4	Story Points:	
Milestone:	None		
Product Version:	*		
Description			
In order to support MN-MN replication, it is necessary to implement the replicate() method in Metacat. This is described at: http://mule1.dataone.org/ArchitectureDocs-current/apis/MN_APIs.html#MN_replication.replicate			

History

- #1 - 2011-01-10 17:20 - Chad Berkley
 - Status changed from New to In Progress
 - % Done changed from 0 to 20
- #2 - 2011-01-14 17:35 - Chad Berkley
 - % Done changed from 20 to 70
- #3 - 2011-03-28 15:34 - Dave Vieglaiss
 - Assignee changed from Chad Berkley to Chris Jones
- #4 - 2011-08-24 15:44 - Chris Jones
 - Status changed from In Progress to Closed
 - Milestone set to None

MNReplication.replicate() is implemented in MNodeService.