

## Infrastructure - Task #1650

Feature # 6499 (New): define and implement addFormat() method

### Update d1\_cn\_service ProxyCNCoreService and CNCoreController to include addFormat()

2011-06-15 21:50 - Chris Jones

<b>Status:</b>	New	<b>Start date:</b>	2011-06-15
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CCI-2.4.0	<b>Story Points:</b>	
<b>Milestone:</b>	None		
<b>Product Version:</b>			
<b>Description</b>			
The CN proxy code to the metacat PUT /formats/fmtid should include addFormat()			

### History

#### #1 - 2014-10-02 17:24 - Dave Vieglais

- Target version set to CCI-2.0.0

#### #2 - 2014-10-02 21:21 - Rob Nahf

- Parent task changed from #1644 to #6499

- Milestone set to None

moved from [#1644](#)

#### #3 - 2014-10-02 21:25 - Rob Nahf

- Target version deleted (CCI-2.0.0)

#### #4 - 2014-10-02 21:27 - Rob Nahf

- Target version set to CCI-2.0.0