

## Infrastructure - Task #1712

Story # 1388 (Closed): implement MN-MN replication manager in CN stack

### Add MNReplication.getReplica() method

2011-08-24 16:05 - Chris Jones

<b>Status:</b>	Closed	<b>Start date:</b>	2011-08-26
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Nicholas Dexter	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Sprint-2011.41-Block.5	<b>Story Points:</b>	
<b>Milestone:</b>	CCI-0.6.2		
<b>Product Version:</b>	*		
<b>Description</b>			
MNReplication.getReplica(token, pid) needs to be added since the MNRead.get() method isn't appropriate for the Replication API. Object GETs should be logged differently when they are called by a target replication MN rather than a DataONE Subject.			
<b>Subtasks:</b>			
Task # 1724: Add MNReplication.getReplica(token, pid) to API-documents			<b>Closed</b>

### History

#1 - 2011-08-25 14:25 - Chris Jones

- Assignee set to Nicholas Dexter

#2 - 2011-09-02 18:00 - Nicholas Dexter

- Status changed from New to Closed