

## Infrastructure - Task #1717

Story # 1388 (Closed): implement MN-MN replication manager in CN stack

### Add CNReplication.isReplicationAuthorized() to the API

2011-08-25 13:56 - Chris Jones

<b>Status:</b>	Closed	<b>Start date:</b>	2011-08-26
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Nicholas Dexter	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Sprint-2011.41-Block.5	<b>Story Points:</b>	
<b>Milestone:</b>	CCI-0.6.4		
<b>Product Version:</b>	*		
<b>Description</b>			
To verify calls to MNReplication.getReplica() are valid calls (ones that are truly initiated by an CN calling MNReplication.replicate()), create isReplicationAuthorized(Session originatingNodeSession, Subject targetNodeSubject, Identifier pid, Permission executePermission)			
<b>Subtasks:</b>			
Task # 1723: Add CNReplication.isReplicationAuthorized() to API-documents			<b>Closed</b>

### History

#1 - 2011-08-25 14:26 - Chris Jones

- Assignee set to Nicholas Dexter

#2 - 2011-09-02 18:00 - Nicholas Dexter

- Status changed from New to Closed