

Infrastructure - Story #2118

add getPendingMapIdentity to the architecture docs

2011-12-07 18:24 - Rob Nahf

| | | | |
|------------------------|--------------------------|------------------------|------------|
| Status: | Closed | Start date: | 2011-12-07 |
| Priority: | Normal | Due date: | |
| Assignee: | Dave Vieglais | % Done: | 100% |
| Category: | Documentation | Estimated time: | 0.00 hour |
| Target version: | Sprint-2012.01-Block.1.1 | | |
| Story Points: | | | |

Description

The method is already in the java service api and libclient as follows

```
public SubjectInfo getPendingMapIdentity(Session session, Subject subject)
throws ServiceFailure, InvalidToken, NotAuthorized, NotFound,
NotImplemented;
```

REST specification GET /accounts/pendingmap/{subject}

History

#1 - 2012-01-06 04:33 - Dave Vieglais

- Target version set to Sprint-2012.01-Block.1.1

- Position set to 1

#2 - 2012-01-10 20:06 - Rob Nahf

- Status changed from New to In Progress

- % Done changed from 0 to 50

The method is added to the docs to match Ben's implementation, so the documentation just awaits your review if you care to.

#3 - 2012-01-11 02:17 - Dave Vieglais

- Status changed from In Progress to Closed

This is already documented at: http://mule1.dataone.org/ArchitectureDocs-current/apis/CN_APIs.html#CNIdentity.getPendingMapIdentity