

Infrastructure - Task #2187

Story # 2166 (Closed): Hazelcast cluster errors need to be isolated

In Metacat, add new method for deleting replicas of SystemMetadata

2012-01-10 18:03 - Robert Waltz

Status:	Closed	Start date:	2012-01-10
Priority:	Normal	Due date:	
Assignee:	Ben Leinfelder	% Done:	100%
Category:	Metacat	Estimated time:	0.00 hour
Target version:	Sprint-2012.01-Block.1.1	Story Points:	
Milestone:	CCI-1.0.0		
Product Version:	*		
Description			
CNReplication.deleteReplicationMetadata (session, pid, nodeId, serialVersion); should be created in Metacat Endpoint to be determined?			

History

#1 - 2012-01-11 17:52 - Chris Jones

- Assignee changed from Chris Jones to Ben Leinfelder

#2 - 2012-01-11 19:03 - Ben Leinfelder

I take this to mean that in the given nodeId, the replica (system metadata and content) should be deleted.
Who (which process) calls this method?

#3 - 2012-01-12 00:46 - Ben Leinfelder

- Status changed from New to In Progress
- % Done changed from 0 to 60

need REST endpoint to fully implement

#4 - 2012-01-12 21:33 - Ben Leinfelder

- Status changed from In Progress to Closed

wired up the endpoints on server and client