

Infrastructure - Bug #2388

isAuthorized() not throwing InvalidRequest when bad permission passed in

2012-02-23 21:32 - Rob Nahf

Status:	Closed	Start date:	2012-02-23
Priority:	Normal	Due date:	
Assignee:	Ben Leinfelder	% Done:	100%
Category:	Metacat	Estimated time:	0.00 hour
Target version:		Story Points:	
Milestone:	CCI-1.0.0		
Product Version:	*		
Description			
mn/isAuthorized/somePID?action=booBoo should throw InvalidRequest, but throws NotAuthorized like the following:			
null not allowed on somePID			
metacat/restservice/MNResourceHandler.isAuthorized(..) relies on types.v1.Permission.convert(String) to throw exception, but Permission.convert behavior is "garbage in = null out"			
public enum Permission ... {			
public static Permission convert(String value) {			
for (Permission inst : values()) {			
if (inst.xmlValue().equals(value)) {			
return inst;			
}			
}			
return null;			
}			
}			
Lastly, metacat/dataone/D1NodeService.isAuthorized() does not check for bogus permissions.			

History

#1 - 2012-02-24 17:46 - Ben Leinfelder

- Status changed from New to Closed

Updated Metacat trunk to reflect this change. Not sure where/when it will be deployed next