

Infrastructure - Story #2680

MN.getReplica() should be a Tier1 method

2012-05-01 14:44 - Dave Vieglais

Status:	Closed	Start date:	2012-05-01
Priority:	High	Due date:	
Assignee:	Dave Vieglais	% Done:	100%
Category:	Documentation	Estimated time:	0.00 hour
Target version:	Sprint-2012.19-Block.3.2		
Story Points:			
Description Placing MN.getReplica in tier4 prevents any other tier of MN from acting as a content source for replication. It is a requirement of DataONE that the system supports replication from all tiers of Member Node, though only Tier 4 nodes can act as replication destinations. This needs to be corrected prior to public release.			
Subtasks: Task # 2681: Move getReplica from tier4 to tier 1 in the docs Closed Task # 2682: Update Java libs for MN.getReplica as a tier 1 method Closed Task # 2683: Update integration tests involving MN.getReplica Closed Task # 2684: Ensure getReplica method is supported in Mercury MN implementations Closed			
Related issues: Related to Infrastructure - Story #2694: getReplica Tier4 -> Tier1 Closed 2012-05-04			

History

- #1 - 2012-05-08 02:00 - Dave Vieglais
- Target version changed from Sprint-2012.17-Block.3.1 to Sprint-2012.19-Block.3.2
 - Position set to 9
- #2 - 2012-05-24 17:57 - Dave Vieglais
- Status changed from New to Closed