

Infrastructure - Task #2792

Story # 2729 (Closed): Create Mechanism dynamically to turn off various subcomponents of Processing

Implement toggling of replication via replication.properties property

2012-05-21 18:09 - Robert Waltz

Status:	Closed	Start date:	2012-05-21
Priority:	Normal	Due date:	
Assignee:	Skye Roseboom	% Done:	100%
Category:	d1_replication	Estimated time:	0.00 hour
Target version:	Sprint-2012.44-Block.6.2	Story Points:	
Milestone:	CCI-1.1		
Product Version:	*		
Description			
in the replication.properties file, evaluate Replication.active property to determine if replication code should respond to replication events.			
replication.properties file is setup to refresh every 5 seconds			

History

#1 - 2012-10-05 15:13 - Chris Jones

- Milestone changed from CCI-1.0.0 to CCI-1.2

#2 - 2012-10-25 15:20 - Skye Roseboom

- Assignee changed from Chris Jones to Skye Roseboom

- Milestone changed from CCI-1.2 to CCI-1.1

#3 - 2012-10-29 16:27 - Skye Roseboom

- Status changed from New to In Progress

#4 - 2012-10-29 16:27 - Skye Roseboom

- Status changed from In Progress to Testing

#5 - 2012-10-29 16:35 - Robert Waltz

- Target version changed from Sprint-2012.41-Block.6.1 to Sprint-2012.44-Block.6.2

#6 - 2012-11-26 17:12 - Skye Roseboom

- translation missing: en.field_remaining_hours set to 0.0

- Status changed from Testing to Closed

tested in cn-sandbox. successfully prevents replication from running on local CN.