

Infrastructure - Task #2839

Story # 2835 (Closed): Resource Map URIs should use resolve() rather than get() constructs

Verify change in resource map URI construct won't affect indexing

2012-05-31 19:58 - Dave Vieglais

Status:	Closed	Start date:	2012-05-31
Priority:	Normal	Due date:	
Assignee:	Skye Roseboom	% Done:	100%
Category:	d1_indexer	Estimated time:	0.00 hour
Target version:	Sprint-2012.21-Block.3.3	Story Points:	
Milestone:	CCI-1.0.0		
Product Version:	*		
Description			
The OAI-ORE use of URIs to refer to DataONE objects was updated recently in the docs, switching from the getObject URI construct to resolve. So for example:			
https://cn.dataone.org/cn/v1/resolve/scidata_id			
rather than			
https://cn.dataone.org/cn/v1/object/scidata_id			
Need to verify this won't have impact on the indexing operations, and if it does to adjust accordingly.			

History

#1 - 2012-06-11 17:44 - Skye Roseboom

- Status changed from New to Closed

Verified Resource Maps in cn-dev environment are indexed and available in one-mercury search.

Tested with maps identified by:

<https://cn-dev-2.dataone.org/cn/v1/object/?formatId=http://www.openarchives.org/ore/terms>

Verified resolve was used in the data package and that the data package science metadata view in one-mercury provided links to the science data defined in the resource map.