

Infrastructure - Bug #2975

Use SSLCACertificateFile directive in apache instead of SSLCACertificatePath

2012-06-19 05:28 - Robert Waltz

Status:	Closed	Start date:	2012-06-19
Priority:	Normal	Due date:	
Assignee:	Chris Jones	% Done:	100%
Category:	d1_cn_buildout	Estimated time:	0.00 hour
Target version:	Sprint-2012.29-Block.4.3	Story Points:	
Milestone:	CCI-1.0.3		
Product Version:	*		
Description			
We should discuss the option of concatenating all CA files together (cilogon + DataONE) into a single pem file. One for Production machines and one for Testing machines.			

History

- #1 - 2012-06-19 21:04 - Robert Waltz**
- Target version changed from Sprint-2012.25-Block.4.1 to Sprint-2012.27-Block.4.2
 - Milestone changed from CCI-1.0.2 to CCI-1.0.3
- #2 - 2012-07-20 18:09 - Robert Waltz**
- Target version changed from Sprint-2012.27-Block.4.2 to Sprint-2012.29-Block.4.3
- #3 - 2012-07-25 21:35 - Robert Waltz**
- Assignee changed from Robert Waltz to Chris Jones
- #4 - 2012-07-25 22:35 - Chris Jones**
- Subject changed from Use SSLCertificateChainFile directive in apache instead of SSLCACertificatePath to Use SSLCACertificateFile directive in apache instead of SSLCACertificatePath
 - Status changed from New to Closed

dave concatenated the DataONETestCA certificate and the DataONETestIntCA certificate into a DataONETestCACHain.crt file, and I've added the Cilogon CA certs to that file as well. I've changed the dataone-cn-os-core postinst script to now set the correct chain file name in the cn-ssl virtual host configuration, either the production chain or the test chain. The names are pre-configured in the per-environment debian configuration files.