

Infrastructure - Task #3079

Task # 3074 (Closed): Phase one implementaion for morpho to connect dataone services

Task # 3075 (Closed): Morpho needs new data file managment system and the local identifier authority.

Morpho needs a local unique id generator

2012-07-17 23:50 - Jing Tao

Status:	Closed	Start date:	2012-07-17
Priority:	Normal	Due date:	
Assignee:	Ben Leinfelder	% Done:	100%
Category:	Morpho	Estimated time:	0.00 hour
Target version:	2013.10-Block.2.1	Story Points:	
Milestone:	None		
Product Version:	*		

Description

Morpho can work online or offline. If a user work offline, morpho needs a local unique id generator to create identifiers for him/her. Moreover, the MN.generateIdentifier() and CN.reserveIdentifier methods in Dataone API have a session parameter. So it only can be called if user login. If user only works locally (even though the computer is online), morpho still needs a mechanism to generate ids.

It will be perfect if the ids are globally unique. So morpho doesn't need to change it when morpho uploads them to the dataone server.

Since the file name is locally unique, we can combine a unique id of the computer with the file name to generate the id. The unique id of the computer can be the mac address, the motherboard id or a UUID.

The problem to use the mac address is that users can exchange network cards between computers. The problem to use motherboard id is that java doesn't have an elegant way to get it.

History

#1 - 2012-07-18 22:40 - Andrew Pippin

Java's Universally Unique Identifier (@see java.util.UUID) provides a good mechanism for this.

#2 - 2012-08-02 17:07 - Jing Tao

The local file id looks like:

urn:id:scope.X

Scope is the input from user's profile. X is a number. Morpho increases X when it assigns a new id. The maximum X will be kept in the profile.

The new id is not guaranteed to be unique. So we still need to the mechanism to handle the id collision.

Currently here is the way morpho to handle the collision:

When id collision was detected, morpho will send a request to metacat to ask the biggest X for the scope. Then increase the X to assign a new id.

However, dataone network doesn't have the API. We may use this way:

Issue a new search to return all IDs that match scope. Morpho then filters and sorts list to find the biggest number in scope.

Note: the scope may be replaced by a random number.

Here are the choices for user in the profile creating process:

1. use a scope that they provide (e.g., "knb-lter-sbc") [radio] + [text field]
2. use a random scope (e.g., "ABGWJY") [radio]
3. convert urn:ids to DOIs during the network save [checkbox]

#3 - 2012-10-11 15:33 - Dave Vieglais

- Target version changed from *Sprint-2012.37-Block.5.3* to *Sprint-2012.41-Block.6.1*

#4 - 2012-10-14 15:05 - Ben Leinfelder

- Category set to *Morpho*

#5 - 2012-10-24 18:20 - Ben Leinfelder

- Target version changed from *Sprint-2012.41-Block.6.1* to *Sprint-2012.44-Block.6.2*

#6 - 2012-11-14 17:15 - Ben Leinfelder

- Assignee set to *Ben Leinfelder*

- Status changed from *New* to *In Progress*

Using identifiers in the form of scope.X. Still need to evaluate an appropriate prefix (ARK?)

#7 - 2012-12-12 16:51 - Chris Jones

- Target version changed from *Sprint-2012.44-Block.6.2* to *Sprint-2012.50-Block.6.4*

#8 - 2013-03-01 18:33 - Ben Leinfelder

- Target version changed from *Sprint-2012.50-Block.6.4* to *2013.10-Block.2.1*

#9 - 2013-03-02 05:04 - Ben Leinfelder

- translation missing: *en.field_remaining_hours* set to *0.0*

- Status changed from *In Progress* to *Closed*

Using UUID locally