

Infrastructure - Bug #3104

LocalCache in libclient_java can't be disabled

2012-07-26 20:34 - Rob Nahf

Status:	Rejected	Start date:	
Priority:	Normal	Due date:	
Assignee:	Rob Nahf	% Done:	0%
Category:	d1_libclient_java	Estimated time:	0.00 hour
Target version:	Sprint-2012.27-Block.4.2	Story Points:	
Milestone:	None		
Product Version:	*		

Description

the property D1Client.useLocalCache controls whether LocalCache is used for caching objects and systemMetadata.

However, setting to false does not stop the LocalCache from being instantiated or these objects from being stored - only whether they will be used or not on a given call.

Two problems arise from this:

1. not all clients will want to incur the associated memory or disk costs
2. caching involves first copying the inputStream to a byteArray, then returning a byteArrayInputStream, which is of course problematic when dealing with large dataObjects.

d1_auditing_java is especially sensitive to the mandatory caching, as it will cycle through the entire collection of objects and systemMetadata, without ever needing to retrieve them again.

History

#1 - 2012-07-26 20:44 - Rob Nahf

- Category set to d1_libclient_java

- Assignee set to Rob Nahf

#2 - 2012-07-26 22:16 - Rob Nahf

- Status changed from New to Rejected

the inputStream for get() and getReplica() was changed to be buffered not for LocalCache, but to allow httpClient to close connections.

cannot confirm the de facto caching of objects - it seems that my application failed to pick up the 'useLocalCache' setting briefly.