

## Infrastructure - Task #3477

Story # 3242 (Closed): ONEDrive implementation

### Improve performance in ONEDrive by caching queries

2013-01-11 17:03 - Chris Jones

<b>Status:</b>	Closed	<b>Start date:</b>	2013-01-11
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Roger Dahl	<b>% Done:</b>	100%
<b>Category:</b>	d1_client_ONEDrive	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Story Points:</b>	
<b>Milestone:</b>	CCI-1.1.1		
<b>Product Version:</b>			
<b>Description</b>			
Change the ONEDrive code to cache queries on the client side, and allow for a configurable cache timeout period.			

#### History

**#1 - 2012-10-24 23:45 - Roger Dahl**

- Target version deleted (2013.2-Block.1.1)

**#2 - 2014-01-17 16:38 - Roger Dahl**

- Parent task changed from #3476 to #3242

**#3 - 2014-05-09 13:55 - Roger Dahl**

- Status changed from New to Closed

- translation missing: en.field\_remaining\_hours set to 0.0

ONEDrive is now a client of Workspace. Workspace caches query results.