

Infrastructure - Task #3722

Task # 3866 (Closed): Release CCI 1.2.2 Features

build an RDFS reasoner-based parser to get triples

2013-04-19 21:55 - Rob Nahf

Status: Closed	Start date: 2013-04-19
Priority: Normal	Due date:
Assignee: Rob Nahf	% Done: 100%
Category: d1_libclient_java	Estimated time: 0.00 hour
Target version:	Story Points:
Milestone: None	
Product Version: *	

Description

The idea here is to build a parser that can get implied relationships from resource maps as well as the explicitly stated ones.

Performance-wise, try to limit what the model parses to what is being looked for, (not extraneous definitions submitters may choose to add) so that memory and computation time are limited.

see <http://jena.apache.org/documentation/javadoc/jena/com/hp/hpl/jena/reasoner/rulesys/RDFSRuleReasoner.html>

Related issues:

Blocks Infrastructure - Task #3723: refactor indexer to use libclient_java pa...	Closed	2013-06-21	2013-06-21
--	---------------	-------------------	-------------------

History

#1 - 2013-04-19 22:01 - Rob Nahf

- Description updated

#2 - 2013-05-22 22:54 - Chris Jones

- Assignee set to Rob Nahf

- Category set to d1_libclient_java

#3 - 2013-05-24 20:28 - Rob Nahf

- Status changed from New to In Progress

- % Done changed from 0 to 80

determined how to build the parser, and added boolean for specifying a reasoning parser.

The reasoning parser uses more memory than standard one, so should be used judiciously.

See Very Large Resource Map architecture document

<http://mule1.dataone.org/ArchitectureDocs-current/design/VeryLargeDataPackage.html#rdf-deserialization>

#4 - 2013-05-24 20:29 - Rob Nahf

- % Done changed from 80 to 90

- Status changed from In Progress to Testing

#5 - 2013-06-04 20:34 - Rob Nahf

- File aggregatesTransitivity.xml added

- File www.openarchives.org-ore-terms-hack-aggr-transitive.xml added

- File aggregatesTransitivity.xml added

- File www.openarchives.org-ore-terms-hack-aggr-transitive.xml added

As thought experiment, I was able to make the aggregates predicate transitive by altering the ORE terms definitions. This would be to be able to make inferences about aggregates of aggregates. Included the files here for reference - they are not implemented. The idea is that these would be read into the reasoning model to get the behavior desired. (if A aggregates B, and B aggregates C, then A aggregates C, through inference)

#6 - 2013-06-04 20:35 - Rob Nahf

- % Done changed from 90 to 100
- Status changed from Testing to Closed
- translation missing: en.field_remaining_hours set to 0.0

#7 - 2013-08-06 16:04 - Skye Roseboom

- Estimated time set to 0.00
- Parent task changed from #3720 to #3866

Hi Rob - it looks like this work is complete. Can this work be moved to the release branch so we can begin testing the 1.2.2 release in preparation for tagging.

Files

www.openarchives.org-ore-terms-hack-aggr-transitive.xml	9.56 KB	2013-06-04	Rob Nahf
aggregatesTransitivity.xml	1.03 KB	2013-06-04	Rob Nahf