

## Infrastructure - Task #4028

Story # 3755 (Closed): Structural changes to D1 APIs for 2.0 release

### Modify getLogRecords to allow filter by ObjectFormatType

2013-10-02 21:46 - Robert Waltz

<b>Status:</b>	Rejected	<b>Start date:</b>	2013-10-02
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Ben Leinfelder	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CCI-2.0.0	<b>Story Points:</b>	
<b>Milestone:</b>	CCI-2.0		
<b>Product Version:</b>	2.0.0		
<b>Description</b>			

#### History

##### #1 - 2014-07-10 00:54 - Ben Leinfelder

What is the use case for this? Shouldn't the log aggregation process harvest records for ALL object types?

I agree that aggregated logs should be made available on the CN in a way that allows filtering and slicing by ObjectFormat, but that is a different method than getLog()

##### #2 - 2014-07-30 03:01 - Robert Waltz

- Assignee changed from Robert Waltz to Ben Leinfelder

##### #3 - 2014-10-01 16:51 - Robert Waltz

- Target version set to CCI-2.0.0

##### #4 - 2015-01-06 19:13 - Dave Vieglais

- Status changed from New to Rejected

- translation missing: en.field\_remaining\_hours set to 0.0

No need - use log query API.