

Infrastructure - Task #4727

Story # 4708 (Closed): Test CN on Ubuntu 12.04

Upgrade dataone-cn-os-core

2014-04-15 00:08 - Jing Tao

Status:	Closed	Start date:	2014-04-14
Priority:	Normal	Due date:	
Assignee:	Jing Tao	% Done:	100%
Category:	d1_cn_buildout	Estimated time:	0.00 hour
Target version:	2014.26-Block.4.1	Story Points:	
Milestone:	CCI-1.2		
Product Version:	1.2.7		
Description			
<p>I decided to stage the upgrading. The first step is to test dataone-cn-os-core. We need to change the files, i.e., control, postinst and et al in https://repository.dataone.org/software/cicore/trunk/cn-buildout/dataone-cn-os-core/DEBIAN/ directory. Then do a upgrade.</p> <p>I believe we need to uninstall those components before we upgrade the core:</p> <ul style="list-style-type: none">dataone-cn-metacatdataone-cn-portaldataone-cn-rest-servicedataone-cn-processdaemondataone-cn-audit-indexdataone-cn-indexdataone-mercurydataone-cn-solrdataone-cn-version-tool			

Associated revisions

Revision d38c383d - 2014-05-30 22:28 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13902 - 2014-05-30 22:28 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13902 - 2014-05-30 22:28 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13902 - 2014-05-30 22:28 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13902 - 2014-05-30 22:28 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 5e9ec61f - 2014-06-03 18:37 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13910 - 2014-06-03 18:37 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13910 - 2014-06-03 18:37 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13910 - 2014-06-03 18:37 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 13910 - 2014-06-03 18:37 - Robert Waltz

refs #4727

modifying slapd for performance issues.

Revision 3114019a - 2014-06-03 21:53 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on.

Revision 13911 - 2014-06-03 21:53 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on.

Revision 13911 - 2014-06-03 21:53 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on.

Revision 13911 - 2014-06-03 21:53 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on.

Revision 13911 - 2014-06-03 21:53 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on.

Revision 1e017b18 - 2014-06-03 21:55 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on. (misspelled indexname)

Revision 13912 - 2014-06-03 21:55 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on. (misspelled indexname)

Revision 13912 - 2014-06-03 21:55 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on. (misspelled indexname)

Revision 13912 - 2014-06-03 21:55 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on. (misspelled indexname)

Revision 13912 - 2014-06-03 21:55 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting, does not like adding new indexes. should examine why later on. (misspelled indexname)

Revision 7b30041d - 2014-06-03 21:56 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting reverted. geez...

Revision 13913 - 2014-06-03 21:56 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting reverted. geez...

Revision 13913 - 2014-06-03 21:56 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting reverted. geez...

Revision 13913 - 2014-06-03 21:56 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting reverted. geez...

Revision 13913 - 2014-06-03 21:56 - Robert Waltz

refs #4727

modifying slapd for performance issues. reverting reverted. geez...

Revision 8d79ee8c - 2014-06-04 05:35 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13915 - 2014-06-04 05:35 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13915 - 2014-06-04 05:35 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13915 - 2014-06-04 05:35 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13915 - 2014-06-04 05:35 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 2c624f67 - 2014-06-04 07:22 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13916 - 2014-06-04 07:22 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13916 - 2014-06-04 07:22 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13916 - 2014-06-04 07:22 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision 13916 - 2014-06-04 07:22 - Robert Waltz

refs #4727

openldap installation on debian has changed defaults:

from <https://wiki.debian.org/LDAP/OpenLDAPSetup>

For the DNS domain name, enter your domain name. This will be translated to an LDAP DN (for example, 'example.com' would become 'dc=example, dc=com'). This becomes what is known as your BaseDN, the root of your database.

This causes our initialization to fail. we need our basedn to be simple dc=org.

Revision da818b6d - 2014-06-13 03:56 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13982 - 2014-06-13 03:56 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13982 - 2014-06-13 03:56 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13982 - 2014-06-13 03:56 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13982 - 2014-06-13 03:56 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 7a912902 - 2014-06-13 04:11 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13983 - 2014-06-13 04:11 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13983 - 2014-06-13 04:11 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13983 - 2014-06-13 04:11 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

Revision 13983 - 2014-06-13 04:11 - Robert Waltz

refs #4727

configuring ldap needs to be more robust

History

#1 - 2014-06-30 22:13 - Robert Waltz

- Target version set to 2014.26-Block.4.1

#2 - 2014-06-30 22:18 - Robert Waltz

- Status changed from *New* to *In Progress*
- Assignee set to *Jing Tao*
- Milestone changed from *None* to *CCI-1.2*
- Product Version changed from *** to *1.2.7*
- Category set to *d1_cn_buildout*

#3 - 2014-06-30 22:18 - Robert Waltz

- Status changed from *In Progress* to *Testing*

#4 - 2014-07-18 02:53 - Robert Waltz

- translation missing: *en.field_remaining_hours* set to *0.0*
- Status changed from *Testing* to *Closed*