

Infrastructure - Story #591

create system metadata for legacy objects in KNB

2010-04-22 23:54 - Matthew Jones

Status:	Closed	Start date:	
Priority:	Low	Due date:	
Assignee:	Chad Berkley	% Done:	100%
Category:	Metacat	Estimated time:	0.00 hour
Target version:	CCI-0.4		
Story Points:			
Description			
In becoming a MN, the KNB needs to provide system metadata for all existing objects. This involves: -- for each object gather necessary info from metacat and science metadata docs -- calculate additional fields (like checksum, size) -- serialize a system metadata object			

History

#1 - 2010-06-09 21:32 - Chad Berkley

- Status changed from New to In Progress

#2 - 2010-06-10 00:03 - Chad Berkley

Nearly done with this story. Need to write a better test and enable this through [ResourceHandler](#), then it will be done. Probably 2 more hours.

#3 - 2010-06-10 16:53 - Chad Berkley

- Status changed from In Progress to Closed

This story is now complete. [CrudService](#).getSystemMetadata() will generate System Metadata for any object in metacat that does not have system metadata already associated with it. This function is available via the REST call to meta/?op=generatemissingsystemmetadata. This call should only need to be made once after legacy knb (or other) metacat data are importing into a MN. See [CrudServiceTest](#).testGenerateMissingSystemMetadata() for examples of how to use the crud method.