

Infrastructure - Task #618

figure out how to handle embedded ecogrid URIs

2010-05-11 18:54 - Chad Berkley

Status:	Closed	Start date:	
Priority:	High	Due date:	
Assignee:	Chad Berkley	% Done:	100%
Category:	Metacat	Estimated time:	0.00 hour
Target version:	CCI-0.5	Story Points:	
Milestone:	None		
Product Version:	*		
Description			
<p>Morpho and Kepler both produce EML documents with ecogrid URIs embedded in them. We need to figure out a way to deal with this as a guid. One idea Matt had was to just use the whole URI as a guid. Need to think about this more and come up with a plan on what to do with these identifiers.</p> <p>Ecogrid URIs take the form:</p> <p>ecogrid://authority/namespace.object.revision</p> <p>and an example is:</p> <p>ecogrid://knb/foo.1.3</p> <p>We should plan on refactoring Morpho and Kepler to use a more standard GUID syntax (like DOI, Handle, or LSID), but need to retain these ecogrid IDs for historical references.</p>			

History

#1 - 2010-06-29 19:11 - Chad Berkley

putting this back in the backlog. will deal with this after July deadline.

#2 - 2010-09-22 18:42 - Chad Berkley

- Status changed from New to Closed

The [\[DataoneEMLParser\]](#) parses eml documents and pulls the ecogrid:// uris out for use in external clients. This has been integrated into the [MetacatPopulator](#) for populating MNs with EML documents/system metadata. See trac issue 727 for more information.