

Infrastructure - Story #6513

Create a Local Cache of all Membernode log records on the single master CN

2014-10-07 18:10 - Robert Waltz

Status:	New	Start date:	2014-10-07
Priority:	Normal	Due date:	
Assignee:	Dave Vieglais	% Done:	0%
Category:	d1_log_aggregation	Estimated time:	0.00 hour
Target version:	Release Backlog		
Story Points:			
Description			
Subtasks:			
Task # 6514: Reharvest all Records to build initial cache			New
Task # 7104: Event index reindexing shouldn't require re-harvest from MNs			New

History

#1 - 2014-10-07 18:12 - Robert Waltz

- Category set to d1_log_aggregation
- Assignee set to Robert Waltz

#2 - 2015-01-06 18:28 - Robert Waltz

- Target version changed from CCI-1.5.1 to CCI-2.0.0
- Due date changed from 2014-10-07 to 2015-01-06

#3 - 2015-01-13 15:56 - Dave Vieglais

- Due date changed from 2015-01-06 to 2015-01-13
- Target version changed from CCI-2.0.0 to Release Backlog

The primary purpose of this cache of log records is to avoid the need for reharvesting from Member Nodes should it become necessary for rebuilding of the log index in solr. Since log records do not change, it should only be necessary to retrieve from MNs once unless MN logging systems are altered and additional events are retroactively made available.

#4 - 2015-07-09 15:33 - Dave Vieglais

- Related to Task #7104: Event index reindexing shouldn't require re-harvest from MNs added

#5 - 2015-07-09 15:34 - Dave Vieglais

- Related to deleted (Task #7104: Event index reindexing shouldn't require re-harvest from MNs)

#6 - 2018-01-17 19:47 - Dave Vieglais

- Sprint set to Infrastructure backlog

#7 - 2018-01-17 19:49 - Dave Vieglais

- Assignee changed from Robert Waltz to Dave Vieglais