

## Infrastructure - Story #663

### Utilize a simple objectFormat registry to determine which configuration to feed the Mercury indexer

2010-06-15 02:00 - Robert Waltz

|                        |               |                        |           |
|------------------------|---------------|------------------------|-----------|
| <b>Status:</b>         | Closed        | <b>Start date:</b>     |           |
| <b>Priority:</b>       | High          | <b>Due date:</b>       |           |
| <b>Assignee:</b>       | Robert Waltz  | <b>% Done:</b>         | 100%      |
| <b>Category:</b>       | d1_cn_service | <b>Estimated time:</b> | 0.00 hour |
| <b>Target version:</b> | CCI-0.4       |                        |           |
| <b>Story Points:</b>   |               |                        |           |

#### Description

- Task: Define how to handle science metadata formats that are not handled by Mercury.
  - Keep in metacat, but it won't be indexed
  - Need to define log messages to report on what's not being processed by the indexer
- Task: create an enumeration for mercury index formats that are supported by Mercury. This will be part of the packager functionality.
- how portable are the mercury indexer config files?
- Task: List the types of metadata that are being used in the prototype
- Task: List the metadata types that are supported by the indexer
- Task: Create configurations for indexer to parse all metadata types in the prototype
  - Jim: Working on the KNB parsing
    - About 3 versions of EML that are being used in KNB
    - Version in doctype of EML - not directly queryable but can specify the version to retrieve through metacat api
  - Robert: working with Dryad sci meta

#### History

#1 - 2010-08-31 19:25 - Robert Waltz

- Status changed from New to Closed