

Java Client - Task #7120

Fix `DataPackage.insertRelationship()` to handle any URI for external identifiers

2015-05-21 16:49 - Chris Jones

Status:	Testing	Start date:	2015-05-21
Priority:	Normal	Due date:	
Assignee:	Chris Jones	% Done:	50%
Category:	d1_libclient_java	Estimated time:	0.00 hour
Target version:	CLJ-2.0.0		
Story Points:			
Description DataPackage currently provides two <code>insertRelationship()</code> methods - one to add ORE relationships between metadata and data members of the aggregation, and a second to provide any relationship using predicates from other namespaces (such as PROV). The latter method assumes that all identifiers should be treated as objects using the CN Base URL when constructing the subject and object URIs. This isn't always the case. Change or override the method to accept any URI as subject and object components of the triple, and fix any tests that use this method.			

Associated revisions

Revision 15684 - 2015-05-27 18:07 - Chris Jones

ProvResourceMapBuilder is a 'straight up' copy of ResourceMapFactory, but as a builder, it doesn't need to provide all methods provided by ResourceMapFactory. Remove `parseResourceMap()` methods, `serializeResourceMap()` methods, `deserializeResourceMap()` methods, `getOREModel()`, `validateResourceMap()`, and `validateD1Resource()`.

refs #7120

Revision 15684 - 2015-05-27 18:07 - Chris Jones

ProvResourceMapBuilder is a 'straight up' copy of ResourceMapFactory, but as a builder, it doesn't need to provide all methods provided by ResourceMapFactory. Remove `parseResourceMap()` methods, `serializeResourceMap()` methods, `deserializeResourceMap()` methods, `getOREModel()`, `validateResourceMap()`, and `validateD1Resource()`.

refs #7120

Revision 15685 - 2015-05-27 18:08 - Chris Jones

Cleanup unused imports. refs #7120

Revision 15685 - 2015-05-27 18:08 - Chris Jones

Cleanup unused imports. refs #7120

Revision 15686 - 2015-05-27 18:15 - Chris Jones

Remove the `createSparseResourceMap()` method that was commented out (and copied from ResourceMapFactory). Clean up some Javadoc. refs #7120

Revision 15686 - 2015-05-27 18:15 - Chris Jones

Remove the `createSparseResourceMap()` method that was commented out (and copied from ResourceMapFactory). Clean up some Javadoc. refs #7120

Revision 15687 - 2015-05-27 18:56 - Chris Jones

Change the testCreateResourceMapWithPROV() test to first acquire a resource map from the ResourceMapFactory(), and then use the ProvResourceMapBuilder to augment the resource map with PROV statements. refs #7120

Revision 15687 - 2015-05-27 18:56 - Chris Jones

Change the testCreateResourceMapWithPROV() test to first acquire a resource map from the ResourceMapFactory(), and then use the ProvResourceMapBuilder to augment the resource map with PROV statements. refs #7120

Revision 15688 - 2015-05-27 19:00 - Chris Jones

Remove the createResourceMap() method, which was copied from ResourceMapFactory, and is redundant. Use the resourceMapFactory.createResourceMap() methods instead. refs #7120

Revision 15688 - 2015-05-27 19:00 - Chris Jones

Remove the createResourceMap() method, which was copied from ResourceMapFactory, and is redundant. Use the resourceMapFactory.createResourceMap() methods instead. refs #7120

Revision 15708 - 2015-06-01 03:17 - Chris Jones

Add a PROV vocabulary class that assists in building URI strings for terms and Predicates for object properties defined in the model. These are just a subset of PROV terms that are relevant to ProvONE (so far anyway). refs #7120

Revision 15708 - 2015-06-01 03:17 - Chris Jones

Add a PROV vocabulary class that assists in building URI strings for terms and Predicates for object properties defined in the model. These are just a subset of PROV terms that are relevant to ProvONE (so far anyway). refs #7120

Revision 15709 - 2015-06-01 20:02 - Chris Jones

Fix minor copy/paste typo. refs #7120

Revision 15709 - 2015-06-01 20:02 - Chris Jones

Fix minor copy/paste typo. refs #7120

Revision 15714 - 2015-06-02 23:25 - Chris Jones

Add a preliminary testCreateResourceMapWithProvONE() test to exercise the ProvResourceMapBuilder class. Will add to this with assertions. refs #7120

Revision 15714 - 2015-06-02 23:25 - Chris Jones

Add a preliminary testCreateResourceMapWithProvONE() test to exercise the ProvResourceMapBuilder class. Will add to this with assertions. refs #7120

Revision 15716 - 2015-06-03 16:00 - Chris Jones

Use the PROV vocabulary class to build predicates. refs #7120

Revision 15716 - 2015-06-03 16:00 - Chris Jones

Use the PROV vocabulary class to build predicates. refs #7120

Revision 15719 - 2015-06-03 16:57 - Chris Jones

Make the namespace and properties fields public in scope so they are easily readable. refs #7120

Revision 15719 - 2015-06-03 16:57 - Chris Jones

Make the namespace and properties fields public in scope so they are easily readable. refs #7120

Revision 15720 - 2015-06-03 19:51 - Chris Jones

Fix minor reversal of URI names. refs #7120

Revision 15720 - 2015-06-03 19:51 - Chris Jones

Fix minor reversal of URI names. refs #7120

Revision 15721 - 2015-06-03 19:56 - Chris Jones

Use the Jena RDF model to add statements to a resource map that are out of the scope of the ORE API. Change `init()` to initialize the RDF model, and to set the PROV and ProvONE namespace prefixes. Add a `setModel()` method that adds the triple statements from the resource map into the model. refs #7120

Revision 15721 - 2015-06-03 19:56 - Chris Jones

Use the Jena RDF model to add statements to a resource map that are out of the scope of the ORE API. Change `init()` to initialize the RDF model, and to set the PROV and ProvONE namespace prefixes. Add a `setModel()` method that adds the triple statements from the resource map into the model. refs #7120

Revision 15722 - 2015-06-03 19:58 - Chris Jones

Add a `getModel()` method that returns the RDF model as a `ResourceMap`. Use this method during the call to `insertRelationship()`. refs #7120

Revision 15722 - 2015-06-03 19:58 - Chris Jones

Add a `getModel()` method that returns the RDF model as a `ResourceMap`. Use this method during the call to `insertRelationship()`. refs #7120

Revision 15723 - 2015-06-03 21:23 - Chris Jones

Add a `setNamespacePrefixes()` method to try to reset the default prefixes set by Jena (like `j.0`, `j.1`). Use this in `getModel()`. refs #7120

Revision 15723 - 2015-06-03 21:23 - Chris Jones

Add a `setNamespacePrefixes()` method to try to reset the default prefixes set by Jena (like `j.0`, `j.1`). Use this in `getModel()`. refs #7120

Revision 15725 - 2015-06-03 21:59 - Chris Jones

Overload the `insertRelationship()` method to provide a version that takes a blank node id string for the subject, and then the usual Predicate and object URI list. This will allow us to create blank nodes in the RDF graph. refs #7120

Revision 15725 - 2015-06-03 21:59 - Chris Jones

Overload the `insertRelationship()` method to provide a version that takes a blank node id string for the subject, and then the usual Predicate and object URI list. This will allow us to create blank nodes in the RDF graph. refs #7120

Revision 15734 - 2015-06-05 16:56 - Chris Jones

The `testCreateResourceMapWithProvONE()` test was intermittently failing because of the lack of ordering provided by the `tripleMap` backing implementation. A `HashMap` will be iterated over effectively in a random order. When one triple statement in the map must be added to the RDF model *before* another (to avoid orphaned nodes in the model), we need to ensure ordering. The test creates the statements in the correct order, but they aren't inserted into the model in that order consistently.

Change the `tripleMap` implementation to a `LinkedHashMap` in order to preserve insertion order, and entries inserted first will be iterated over first. Un-ignore the test now - seems to be working fine. refs #7120

Revision 15734 - 2015-06-05 16:56 - Chris Jones

The `testCreateResourceMapWithProvONE()` test was intermittently failing because of the lack of ordering provided by the `tripleMap` backing implementation. A `HashMap` will be iterated over effectively in a random order. When one triple statement in the map must be added to the RDF model *before* another (to avoid orphaned nodes in the model), we need to ensure ordering. The test creates the statements in the correct order, but they aren't inserted into the model in that order consistently.

Change the `tripleMap` implementation to a `LinkedHashMap` in order to preserve insertion order, and entries inserted first will be iterated over first. Un-ignore the test now - seems to be working fine. refs #7120

History

#1 - 2015-06-04 21:48 - Chris Jones

- Status changed from *In Progress* to *Testing*
- % Done changed from 30 to 50

`DataPackage.insertRelationship()` now takes URIs and a `Predicate` as arguments. This uses both `ResourceMapFactory.createResourceMap()` (to get the base map) and `ProvResourceMapBuilder.insertRelationship()`, which handles any URIs for the subject and object list. Putting this into the testing phase.