

Infrastructure - Task #7361

Feature # 6498 (Closed): V2 Metacat MN and CN Support

Task # 7360 (Closed): Modify the MN.systeMetadataChanged Method

Distinguish v1.MN.systemMetadataChanged and v2.MN.systemMetadataChanged

2015-09-17 00:35 - Jing Tao

Status:	Closed	Start date:	2015-09-17
Priority:	Normal	Due date:	
Assignee:	Jing Tao	% Done:	100%
Category:	Metacat	Estimated time:	0.00 hour
Target version:	CCI-2.0.0	Story Points:	
Milestone:	None		
Product Version:	*		

Description

The v1.MN.systemMetadataChanged method will get the new system metadata from the cn and update the local copy.

However, v2.MN.systemMetadataChanged method will have two scenarios :

1. For the replica nodes, the v2.MN.systeMetadataChanged method has the same behavior as the v1 - get the new system metadata from the cn and update the local copy.
2. For the authoritative node, the v2.MN.systeMetadataChanged method will get the new system metadata from the cn, but it only updates the replica\serialVersion properties locally.

History

#1 - 2015-09-29 22:38 - Jing Tao

- Status changed from New to Closed
- % Done changed from 0 to 100
- translation missing: en.field_remaining_hours set to 0.0