

Infrastructure - Task #7366

Feature # 6498 (Closed): V2 Metacat MN and CN Support

Make sure MN.updateSystemMetadata and CN.updateSystemMetadata will NOT increase serial version in the system metadata

2015-09-18 23:54 - Jing Tao

<b>Status:</b>	Closed	<b>Start date:</b>	2015-09-18
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jing Tao	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CCI-2.0.0	<b>Story Points:</b>	
<b>Milestone:</b>	None		
<b>Product Version:</b>	*		
<b>Description</b>			
The serial version only reflects the change of the replica information in system metadata. It wouldn't change if users set a new access rule.			
So MN.updateSystemMetadata and CN.updateSystemMetadata will NOT increase serial version in the system metadata.			
MN.create and MN.update will initialize the serial version to be 1 for the new objects.			

History

#1 - 2015-09-18 23:55 - Jing Tao

- Assignee set to Jing Tao

#2 - 2015-09-23 22:46 - Jing Tao

- Status changed from New to In Progress
- % Done changed from 0 to 30

We will compare the serial versions in the updateSystemMetadata method.

#3 - 2015-09-25 00:40 - Jing Tao

- Status changed from In Progress to Closed
- % Done changed from 30 to 100
- translation missing: en.field\_remaining\_hours set to 0.0

MN.updateSystemMetadata and CN.updateSystemMetadata don't check the serial version any more. They don't increase the serial version either.