

## Log Reporting - Bug #7392

### Solr Filter not returning event entries for valid users

2015-09-29 14:26 - Robert Waltz

<b>Status:</b>	Closed	<b>Start date:</b>	2015-09-29
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Robert Waltz	<b>% Done:</b>	100%
<b>Category:</b>	d1_log_aggregation	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CCI-2.0.0		
<b>Story Points:</b>			
<b>Description</b>			
only the log is returned for the response without events. The filter acts as if a valid cn administrator is a public user.			

#### Associated revisions

##### Revision 16483 - 2015-09-29 16:05 - Robert Waltz

refs #7392

adding in debugging messages.

##### Revision 16483 - 2015-09-29 16:05 - Robert Waltz

refs #7392

adding in debugging messages.

##### Revision 16484 - 2015-09-29 16:56 - Robert Waltz

refs #7392

Cannot be certain that Params are messed up before handleRequestBody. Trying a different method.

##### Revision 16484 - 2015-09-29 16:56 - Robert Waltz

refs #7392

Cannot be certain that Params are messed up before handleRequestBody. Trying a different method.

##### Revision 16485 - 2015-09-29 17:25 - Robert Waltz

refs #7392.

adding in more debugging.

##### Revision 16485 - 2015-09-29 17:25 - Robert Waltz

refs #7392.

adding in more debugging.

**Revision 16488 - 2015-09-29 18:03 - Robert Waltz**

refs #7392.

adding in more debugging. but should compile this time.

**Revision 16488 - 2015-09-29 18:03 - Robert Waltz**

refs #7392.

adding in more debugging. but should compile this time.

**Revision 16491 - 2015-09-29 19:29 - Robert Waltz**

refs #7392.

Maybe solr is only reading from the query string now and not the request params to fill in SolrParams?

**Revision 16491 - 2015-09-29 19:29 - Robert Waltz**

refs #7392.

Maybe solr is only reading from the query string now and not the request params to fill in SolrParams?

**Revision 16509 - 2015-09-30 16:10 - Robert Waltz**

refs #7392

configure solr configuration to allow passing the original http request to the Request Handlers that manipulate the solr params to include authorization filters.

**Revision 16509 - 2015-09-30 16:10 - Robert Waltz**

refs #7392

configure solr configuration to allow passing the original http request to the Request Handlers that manipulate the solr params to include authorization filters.

**Revision 16510 - 2015-09-30 16:15 - Robert Waltz**

closes #7392

Solr configuration allows for the original HttpServletRequest to be passed to the SolrRequestHandler. Use the HttpServletRequest to grab the authorization parameters set by the SessionAuthorizationFilterStrategy.

**Revision 16510 - 2015-09-30 16:15 - Robert Waltz**

closes #7392

Solr configuration allows for the original HttpServletRequest to be passed to the SolrRequestHandler. Use the HttpServletRequest to grab the authorization parameters set by the SessionAuthorizationFilterStrategy.

## History

---

### #1 - 2015-09-29 20:47 - Robert Waltz

- Status changed from New to In Progress
- % Done changed from 0 to 30

### #2 - 2015-09-30 19:04 - Robert Waltz

- Status changed from In Progress to Closed
- % Done changed from 30 to 100

Applied in changeset [d1-python:d1\\_python|r16510](#).