

Infrastructure - Task #8078

Story # 8061 (New): develop queue-based processing system for the CN

standardize task serialization for language independence

2017-04-24 22:14 - Rob Nahf

| | | | |
|---|------------|------------------------|------------|
| Status: | New | Start date: | 2017-04-24 |
| Priority: | Normal | Due date: | |
| Assignee: | Rob Nahf | % Done: | 0% |
| Category: | d1_indexer | Estimated time: | 0.00 hour |
| Target version: | | Story Points: | |
| Milestone: | None | | |
| Product Version: | * | | |
| Description the prototype code is using Java Serialization to turn the IndexTasks into byte[]. We should use a more universal messaging standard, like JSON, Mime Multipart, or XML. If JSON, Java would need to determine the parsing library (Jackson seems like a decend choice). | | | |

History

#1 - 2017-04-24 22:51 - Rob Nahf

- Assignee changed from Dave Vieglaiss to Rob Nahf

#2 - 2017-04-25 22:39 - Rob Nahf

also look at Google's protocol buffers: <https://developers.google.com/protocol-buffers/docs/overview>

It requires code generation of the Java class (<https://developers.google.com/protocol-buffers/docs/javatutorial>)

- 1. create a .proto data format definition
- 2. download the protocol buffer compiler
- 3. compile the .proto data format from the command line
- 4. use the resulting Java class.

maybe useful? <https://github.com/hopped/rabbitmq-protobuf/blob/master/src/main/resources/java/gen-java.sh>