

Infrastructure - Bug #8866

Java client tools should set a custom user agent string

2020-07-15 18:03 - Bryce Mecum

Status:	New	Start date:	2020-07-15
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Story Points:	
Milestone:	None		
Product Version:	*		

Description

Related to <https://redmine.dataone.org/issues/7047>

It looks like nowhere in `d1_libclient_java` do we set a user agent string. Aside from being best practice, it limits our ability to customize our infrastructure around it. For example, OPC is running into HTTP 413s due to overrunning their TLS renegotiation buffer and we can't effectively whitelist their requests, which come from our Java client tools, to allow them to upload large files.

History

#1 - 2020-07-15 18:39 - Bryce Mecum

From Chris via Slack: It looks like `d1_libclient_java` does set a UA string of "Apache-HttpClient/4.3.6 (java 1.5)" but my guess is that the UA string is the same for the client tools when initiated from the CN to an MN as from a user to an CN/MN so we really need *different* ua strings.

#2 - 2020-07-15 22:41 - Bryce Mecum

- *Subject changed from Java client tools should set a user agent string to Java client tools should set a custom user agent string*

#3 - 2020-07-15 22:43 - Bryce Mecum

Note that we deprecated the user API for setting a custom UA string in <https://redmine.dataone.org/issues/7638>. We might consider as part of this ticket to provide a public API of some sort so users can override the custom UA we decide on here.