# Infrastructure - Story #976

# Design data packaging approach for clients

2010-10-07 19:26 - Dave Vieglais

Status: Closed Start date:
Priority: Normal Due date:

Assignee: Matthew Jones % Done: 100%

Category:

Target version: 2013.2-Block.1.1

Story Points:

**Description** 

Subtasks:

Task # 1122: Describe data packaging decisions in specification

Related issues:

Blocks DataONE R Client - Story #927: R Client needs DataPackage model and im... Closed 2013-02-22 2013-02-22

**Estimated time:** 

2010-11-30

2013-01-19

0.00 hour

Blocks DataONE R Client - Story #928: R Client needs to support multiple data... Closed

## History

## #1 - 2010-10-07 19:27 - Dave Vieglais

See Matt's notes at:

http://dev-testing.dataone.org:8080/hudson/job/API%20Documentation/javadoc/itk-d1r.html#package-design

## #2 - 2010-10-07 19:29 - Dave Vieglais

- Target version set to Sprint-2010.41
- Position set to 4
- Position deleted (1)

## #3 - 2010-10-22 16:42 - Dave Vieglais

- Position set to 2
- Position deleted (16)
- Target version changed from Sprint-2010.41 to Sprint-2010.43

## #4 - 2010-10-27 21:16 - Matthew Jones

- Status changed from New to In Progress

## #5 - 2010-10-27 21:17 - Matthew Jones

- translation missing: en.field\_remaining\_hours set to 8.0
- Assignee set to Matthew Jones

# #6 - 2010-10-29 16:56 - Dave Vieglais

- Target version changed from Sprint-2010.43 to Sprint-2010.44
- Position set to 6
- Position deleted (12)

# #7 - 2010-11-02 07:53 - Matthew Jones

Began initial design document describing issues and approaches for Data Packaging. These were added to the architecture documents, viewable

2024-04-10 1/4

#### #8 - 2010-11-08 17:32 - Dave Vieglais

- Position deleted (14)
- Position set to 1
- Target version changed from Sprint-2010.44 to Sprint-2010.47

#### #9 - 2010-11-30 18:07 - Matthew Jones

- Target version deleted (Sprint-2010.47)
- Position deleted (44)
- Position set to 11

#### #10 - 2011-01-28 06:18 - Matthew Jones

Did proptotyping work to create a DataPackage and D1Object class in Java. Need to reflect these changes back into the design documents.

# #11 - 2011-08-30 02:47 - Dave Vieglais

- Position set to 15
- Position deleted (193)

#### #12 - 2011-11-15 04:11 - Dave Vieglais

- Position set to 1
- Position deleted (77)
- Target version set to Sprint-2011.47-Block.6

### #13 - 2011-11-28 18:48 - Dave Vieglais

- Position changed from 1 to 322
- Position deleted (15)
- Position set to 1
- Target version changed from Sprint-2011.47-Block.6 to Sprint-2011.48-Block.6

## #14 - 2011-12-05 19:15 - Matthew Jones

- Position deleted (324)
- Target version changed from Sprint-2011.48-Block.6 to Sprint-2011.49-Block.6
- Position set to 16

# #15 - 2011-12-06 14:35 - Dave Vieglais

- Target version changed from Sprint-2011.49-Block.6 to Sprint-2011.50-Block.6
- Position deleted (21)
- Position set to 1

#### #16 - 2012-01-03 13:22 - Dave Vieglais

- Target version changed from Sprint-2011.50-Block.6 to Sprint-2012.01-Block.1.1
- Position changed from 1 to 330
- Position deleted (25)
- Position set to 1

### #17 - 2012-01-17 15:42 - Dave Vieglais

2024-04-10 2/4

- Position deleted (339)
- Position set to 1
- Target version changed from Sprint-2012.01-Block.1.1 to Sprint-2012.05-Block.1.3

## #18 - 2012-01-30 16:29 - Dave Vieglais

- Position deleted (11)
- Position set to 5
- Target version changed from Sprint-2012.05-Block.1.3 to Sprint-2012.07-Block.1.4

# #19 - 2012-01-30 16:29 - Dave Vieglais

- Position deleted (5)
- Position set to 1

## #20 - 2012-02-27 18:12 - Dave Vieglais

- Target version changed from Sprint-2012.07-Block.1.4 to Sprint-2012.09-Block.2.1
- Position set to 26
- Position deleted (45)

# #21 - 2012-03-16 02:34 - Dave Vieglais

- Position set to 24
- Target version changed from Sprint-2012.09-Block.2.1 to Sprint-2012.11-Block.2.2
- Position deleted (65)

## #22 - 2012-03-26 17:45 - Matthew Jones

- Position deleted (40)
- Target version changed from Sprint-2012.11-Block.2.2 to Sprint-2012.13-Block.2.3
- Position set to 25

# #23 - 2012-04-23 17:44 - Dave Vieglais

- Position set to 1
- Position deleted (38)
- Target version changed from Sprint-2012.13-Block.2.3 to Sprint-2012.19-Block.3.2
- Position changed from 1 to 425

## #24 - 2012-05-07 17:47 - Dave Vieglais

- Position deleted (436)
- Position changed from 1 to 440
- Position set to 1

# #25 - 2012-05-30 12:33 - Dave Vieglais

- Target version changed from Sprint-2012.19-Block.3.2 to Sprint-2012.27-Block.4.2
- Position set to 1
- Position deleted (442)

## #26 - 2012-08-29 17:22 - Chris Jones

- Position set to 1
- Position deleted (26)
- Target version changed from Sprint-2012.27-Block.4.2 to Sprint-2012.35-Block.5.2

2024-04-10 3/4

## #27 - 2012-09-28 22:10 - Rob Nahf

- Position set to 1
- Target version changed from Sprint-2012.35-Block.5.2 to Sprint-2012.39-Block.5.4
- Position deleted (10)
- Position changed from 1 to 493

# #28 - 2012-10-09 20:02 - Rob Nahf

- Due date set to 2012-10-27
- Milestone set to None
- Target version changed from Sprint-2012.39-Block.5.4 to Sprint-2012.41-Block.6.1

## #29 - 2012-10-24 18:20 - Matthew Jones

- Target version changed from Sprint-2012.41-Block.6.1 to Sprint-2012.44-Block.6.2
- Due date changed from 2012-10-27 to 2012-11-10

# #30 - 2012-12-12 18:47 - Chris Jones

- Due date changed from 2012-11-10 to 2013-01-19
- Target version changed from Sprint-2012.44-Block.6.2 to 2013.2-Block.1.1

# #31 - 2013-02-22 19:18 - Matthew Jones

- Status changed from In Progress to Closed

Data Packaging using OREs has been described in the architecture docs and fully implemented in libclient. Closing.

2024-04-10 4/4