

Infrastructure - Task #982

Story # 981 (Closed): Persist Nodelist in Metacat

NodeList must have a known and stable identifier

2010-10-07 20:25 - Robert Waltz

<b>Status:</b>	Closed	<b>Start date:</b>	2010-10-07
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Robert Waltz	<b>% Done:</b>	100%
<b>Category:</b>	d1_cn_service	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Sprint-2011.10-Block.2	<b>Story Points:</b>	
<b>Milestone:</b>	CCI-0.5		
<b>Product Version:</b>	*		
<b>Description</b>			
determine what the nodelist will be named in metacat, create list on metacat note the name for all to know			

History

#1 - 2010-12-03 18:33 - Robert Waltz

from todays sprint, it sounded like we said d1\_nodelist.xml or dataone\_nodelist.xml (take your pick). I suppose we could even drop the .xml.

#2 - 2011-01-03 02:37 - Dave Vieglaiss

Robert Waltz wrote:

from todays sprint, it sounded like we said d1\_nodelist.xml or dataone\_nodelist.xml (take your pick). I suppose we could even drop the .xml.

Let's go with "dataone.nodelist"

#3 - 2011-03-16 15:42 - Robert Waltz

- Status changed from New to Closed

Metacat does not allow this feature. each update to node list will create a new object that is a obsoletes a previous version of the nodelist