

## Infrastructure - Task #993

Story # 909 (Closed): Reimplement cn/resolve using nodelist for testing

Task # 774 (Closed): implement Node Registry lookup for resolve function

### parse sysMD and create OLL

2010-10-11 17:46 - Rob Nahf

<b>Status:</b>	Closed	<b>Start date:</b>	2010-10-11
<b>Priority:</b>	Immediate	<b>Due date:</b>	
<b>Assignee:</b>	Rob Nahf	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	3.00 hours
<b>Target version:</b>	Sprint-2010.43	<b>Story Points:</b>	
<b>Milestone:</b>			
<b>Product Version:</b>	*		
<b>Description</b>			

### History

#### #1 - 2010-10-11 17:48 - Rob Nahf

- Estimated time set to 3.00

#### #2 - 2010-10-12 16:12 - Rob Nahf

- Assignee set to Rob Nahf

- Status changed from New to In Progress

- Priority changed from Normal to Immediate

- translation missing: en.field\_remaining\_hours set to 3.0

#### #3 - 2010-10-12 22:39 - Rob Nahf

code written, in the middle of debugging. interesting part is how to pass errors from metacat through to the client.

#### #4 - 2010-10-13 22:01 - Rob Nahf

- translation missing: en.field\_remaining\_hours changed from 3.0 to 0.0

- Status changed from In Progress to Closed

have skeleton resolve function that produces ObjectLocationLists.